



BS EN 14351-1:2006 + A2:2016

**WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS**

DECLARATION OF CONFORMITY

THIS IS TO CERTIFY THAT

ABBHEY GLASS (DERBY) LIMITED

of

Wetherby Road

Ascot Drive

Derby

DE24 8HL

24

HAVE CONFORMED TO EN 14351-1:2006 + A2:2016 ANNEX ZA

AVCP LEVEL 1

FOR

**VERTICAL & HORIZONTAL SLIDING, TILT & TURN & CASEMENT WINDOWS, SINGLE & DOUBLE DOORS & PUSH
BAR/PUSH PAD EXIT DOORS INTENDED TO BE USED IN DOMESTIC AND COMMERCIAL LOCATIONS**

**INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION CONTROL COMPLYING WITH EN 14351-
1:2006 + A2:2016 ANNEX ZA**

**PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND PERFORMANCE INDICATION PAPERS FOR
ALL COMPONENTS**

INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS

DANGEROUS SUBSTANCES - Clause 4.6

LOAD BEARING CAPACITY OF SAFETY DEVICES - Clause 4.8

ABILITY TO RELEASE - Clause 4.10

THERMAL CHARACTERISTICS - Clause 4.12

Signed: 

Position: **DIRECTOR**

Date: **10-7-2024**



DECLARATION OF PERFORMANCE

Abbey Glass (Derby) Limited

Wetherby Road

Ascot Drive

Derby

DE24 8HL

24

EN 14351-1: 2006 + A2:2016

**WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS**

System: Liniar Limited 70mm Sculptured & Flush Fit PVCu system for Windows and Doors

Characteristics	Declared Value	Notified Body & Test Report Number
Dangerous Substances	None	
Thermal Transmittance	≤ 3.4W/(m ² K)	
Load Bearing Capacity of Safety Devices	Passed	
Resistance to Wind Load	npd	
Resistance to snow and permanent load	npd	
Reaction to fire	npd	
External Fire Performance	npd	
Water tightness	npd	
Impact Resistance	npd	
Radiation Properties	npd	
Acoustic Performance	npd	
Air Permeability	npd	
Ability to Release	Strand Antipanic PH350, PH355, PH357 Series conforming with EN 1125 : 2008	CPR 2011 Declaration of Performance ref SHW001, dated 18/03/2013, issued by Strand Hardware Ltd. EC Declaration of Conformity1519-CPD-2008 issued by ICIM [EC Ref. 0425]
	Strand Antipanic PH350, PH355, PH357 Series conforming with EN 1125 : 2008	CPR 2011 Declaration of Performance ref SHW002, dated 28/02/2013, issued by Strand Hardware Ltd. EC Declaration of Conformity1579-CPD-2009 issued by ICIM [EC Ref. 0425]
	Briton 571 Series (571.1, 571.2, 571D.1, 571D.2) conforming with EN 1125 : 2008	CPR 2011 Declaration of Performance ref UK-PED-DOP-006-0, dated 05/08/2013, issued by Ingersoll Rand Security Technologies. EC Certificate of Conformity1589-CPD-2011 issued by ICIM [EC Ref. 0425]
	Briton 561 & 561D Series conforming with EN 1125 : 2008	CPR 2011 Declaration of Performance ref UK-PED-DOP-005-0 & CPR 2011 Declaration of Performance ref UK-PED-DOP-005-1, both dated 05/08/2013, issued by Ingersoll Rand Security Technologies. EC Certificate of Conformity1588-CPD-2011 issued by ICIM [EC Ref. 0425]
	Adams Rite 940 & 960 Series conforming with EN 1125 : 2008	CPR 2011 Declaration of Performance ref 0002PEDD, dated 11/01/2010, issued by ASSA ABLOY Ltd. includes a reference to the EC Declaration of Conformity1121-CPD-AAA014 issued by Exova Warrington Certification [EC Ref. 1121]
	4591, 4596 & 4781 Series conforming with EN 179 : 2008	Adams Rite CPR 2011 Declaration of Performance ref 0003PEDD, dated 23/04/2013, issued by ASSA ABLOY Ltd. includes a reference to the EC Declaration of Conformity1121-CPD-ABB013 issued by Exova Warrington Certification [EC Ref. 1121]

This declaration relates to a worst case scenario and as such all our products will give an equal to or better (lower) than performance to that quoted

Signed: *M.R. [Signature]*
Position: **DIRECTOR**

Date: *10-7-24*



DECLARATION OF PERFORMANCE

Abbey Glass (Derby) Limited

Wetherby Road

Ascot Drive

Derby

DE24 8HL

24

AVCP LEVEL 1

EN 14351-1:2006 + A2:2016

**WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS**
System: Kawneer, Comar & Kestrel Aluminium Systems for Windows and Doors

Characteristics	Declared Value	Notified Body & Test Report Number
Dangerous Substances	None	
Thermal Transmittance	$\leq 4.7W/(m^2K)$	
Load Bearing Capacity of Safety Devices	Passed	
Resistance to Wind Load	npd	
Resistance to snow and permanent load	npd	
Reaction to fire	npd	
External Fire Performance	npd	
Water tightness	npd	
Impact Resistance	npd	
Radiation Properties	npd	
Acoustic Performance	npd	
Air Permeability	npd	
Ability to Release	Strand Antipanic PH350, PH355, PH357 Series conforming with EN 1125 : 2008	CPR 2011 Declaration of Performance ref SHW001, dated 18/03/2013, issued by Strand Hardware Ltd. EC Declaration of Conformity1519-CPD-2008 issued by ICIM (EC Ref. 0425)
	Strand Antipanic PH350, PH355, PH357 Series conforming with EN 1125 : 2008	CPR 2011 Declaration of Performance ref SHW002, dated 28/02/2013, issued by Strand Hardware Ltd. EC Declaration of Conformity1579-CPD-2009 issued by ICIM (EC Ref. 0425)
	Briton 571 Series (571.1, 571.2, 571D.1, 571D.2) conforming with EN 1125 : 2008	CPR 2011 Declaration of Performance ref UK-PED-DOP-006-0, dated 05/08/2013, issued by Ingersoll Rand Security Technologies. EC Certificate of Conformity1589-CPD-2011 issued by ICIM (EC Ref. 0425)
	Briton 561 & 561D Series conforming with EN 1125 : 2008	CPR 2011 Declaration of Performance ref UK-PED-DOP-005-0 & CPR 2011 Declaration of Performance ref UK-PED-DOP-005-1, both dated 05/08/2013, issued by Ingersoll Rand Security Technologies. EC Certificate of Conformity1588-CPD-2011 issued by ICIM (EC Ref. 0425)
	Adams Rite 940 & 960 Series conforming with EN 1125 : 2008	CPR 2011 Declaration of Performance ref 0002PEDD, dated 11/01/2010, issued by ASSA ABLOY Ltd. Includes a reference to the EC Declaration of Conformity1121-CPD-AAA014 issued by Exova Warrington Certification (EC Ref. 1121)
	4591, 4596 & 4781 Series conforming with EN 179 : 2008	Adams Rite CPR 2011 Declaration of Performance ref 0003PEDD, dated 23/04/2013, issued by ASSA ABLOY Ltd. Includes a reference to the EC Declaration of Conformity1121-CPD-ABB013 issued by Exova Warrington Certification (EC Ref. 1121)

This declaration relates to a worst case scenario and as such all our products will give an equal to or better (lower) than performance to that quoted

Signed 
Position: **DIRECTOR**

Date: **10-7-24**